

Cot

The best among sick is to alter
to the ~~Liege~~ Diet, no medicine
ought to be used but what has been
ployed by experience no mat-
ter whether the Medicine grows
among us than among others
The most powerful opposition to Lau-
drum is whipping or harapping the
patient while under the influence of
too much Laudrum &c

Consider all article in this Natural
History, then Medicinal History and
then Paracatal History made
on Natural History, it will do well to Ban
tea and Sidaurica
of Medicina - & see number
of Ban on account
medicinal Authors
and Authors

The greatest Robur
is seen to a Clap - of common
to prefer the first of which
and the most of the second
but they are not good
and the former is not
good if it remains many months

Copy of sedatives of excrements -
of blood lettings & what is the reason
color sweat break out in the time of Syce
fe when the blood recedes from the skin
surface; In pleurisy governed by respiration
rather than the pulse / And likewise
wise in Inflammation of the Intestines -
We might attend to the Acute &
Chronic remedies - bleeding in Tetter
without not so much as pain as in the
throat and more so in Coughs &c -
We relieve the local pains & the general
debilitate symptoms diminished

4 Gargum prevents &c 5 we
prevent abscesses of lungs, pleurs &c
If we tore the parts

Cupping, leeching, scarifying &c we rea-
son in Ophthalmia &c
Inflammation skin free & frequent use
of the Constrict - Mucina is said to
relieve blood lettings - General loss
of color requires the excrements by bleeding
&c - of the Mucous &c

of ulceration - which is very common
in Pneumonia, I have seen it
and this must be well bleed - now
in this case we may find in the pulse
some slight difference - now
it is to ~~the~~ ^{the} rule in bleeding
in all cases of Pneumonia consumption
and requires it and in the last table
it may act as in Anoxysia -

In every case of Pneumonia will require
by lancet and according to certain
stomach - Gout generally requires
it - the most likely to indicate
symptoms in all cases are

Breeding in Throat & nose
Draw blood from the same side
that is affected by Pneumonia
Expectoration blood is sometimes open
and frequently so - In piles Blood
letting or leeching is required

If there are no ulcers to bleed for blood
from the stomach, the pulse is
likely to be retarded -

In a profuse case require blood
letting, Almond size either than large
or too small and we are glad to
make a large incision & opening
we may be directed to wait to have
some blisters or poultices

It is said that blood letting has
been ineffectual in tetanus and
hydrocephalus but this is not so
certainly why it may not be
not less injurious than to
allow the patient of hydrocephalus
to swallow, best is blood letting
especially. See as this is to be done
at a time as in all other diseases,
blood letting caused in muscular
contractions to increase of tension
so — no one would advise a
blood letting in the number of cases
that I require its use see
nothing in the beginning of typhus
fever and its different forms as
Cutaneous cases of fever it is fort indeed
often to the stroke of history &
at the closing a Paroxysms bleeding
not good. In unctured persons
therefore we are to be careful especially
in especially warm weather
time weather after suppuration we
see to be careful that person do
not bear blood letting as well as
heat waves

Cupping a local bloodletting
is good in very hemorrhages
etc.

and using a local cup of either a
cow's milk or decoction of white
cabbages cannot be applied as the
laxative vents etc can &c as piles
they are of great use &
are middledized leeches will draw
about $\frac{1}{4}$ oz of blood

Licking in being swallowed occasions
great hemorrhage in the stomach.
The leech will let go by drawing
salt water & infant bear
this operation as well as adults
when you have no cupping glass &
had take wine of Calis 100
2 vials of emetics some
of which in small doses none

a tonic, as white striol in 1/2 oz
or 3 dr 2 species - a purgative
nothing occasions a tickling
fauces or sea sponge & it then
with a feather in case of poison be
taken into a stomach & soon
causing an inversive of the stomach & the
intestines of the intestinal tube and
thereby causes the discharge of blood
so profit that it is a natural balsam

U that day eat a cold dinner
of graps to relieve the stomach.
Dr - In Ulcer Hemorrhage we
are local &c are found of service.
Emetics - Found of very great ser-
vice in the above disease &
Syrupy have been benefitted by
Sometime Diabetes & many very
good & -
viles of venomous animals derived
by snakes - Procuratory of a Bod-
ious nature to be treated by
bleeding & emetics & some-
Diarrhoea we are at to clean
the alimentary canal &
Emetics of service in Dyspepsia
and small doses of Specumina
will or p graps allow to pro-
duce nausea &吐 the poison
is restored the go to the cold bath
Emetics has been said to be good
in Fluor & other &c -
Emetics among the most impor-
tant article for
when there is plethora begin by
bleeding & care about Consi-

does, & common cases give
them divided ~~ice~~
When & they shall have to be
sent and effect or too much
heat & then, the we to give law
~~common~~ ~~ice~~

When hemorrhage is produced
by emetics they are not to
be given or when they produce
spasms — Not be given now
in advanced pregnancy and
some say during menstruation
Chronic all cases, cured by abysm
Remedies, &c. Caution the
stones according to concentra-
tions, when too much have to
take take small portion of
open species or fermentations
of lemons & bracts after
the tail of Lopez Chilicote
Draw no adults — Draw the
muscles by tying & round
chief about the abdomen and
in spasms of the legs after draw-
ing, warm water salt Oil hor-
ney & butter & a thick & com-
mon poultice, moistened

Vegetable Remedies &
the best is Epsom Salts
Brown is the best Gray
& Red close from it
to 3¹/₂ a very useful Remedy
but not known properly
The best remedy for
it is leech or bloody flux
The best Remedies in the West
Medicinal dose 3 ss - In the
Country we are told that an
kind is different in its nature
and effect - From 3 to 5 grains of
good Epsom is found to meet
the exigencies of the body & Brown is
one of our best Salines & has been
found to meet in its effects
and use in Vegetable as produc-
tions Natural Nitre & Salt in
small doses or 2 or 3 grs in
5 or 6 hours & Dr Barton prescribes
1/2 gr. Epsom & 1 gr. Brown with
Chalk - Some recommend the
decocction of bark in pulses -
Bark 2 or 3 grs of Epsom in
the morning before rising and

are Anodyne in the Evening
More or less they are to facilitate
process employed in febrile Diseases
with little about a gr - In the
commencement of such cases, the Trophic
mixture it is painful not so much
powders. In this pulvinated is
very useful - In extra - the
shell has brought in Extra, in
dropping it has been done, hold on
for tobacco as some other remedies as
for instance of much Opium being
swallowed. The Species see folijta
etc in a bunch - plant dried to
Tobaccuan - the greatest quality
is in the bark and about double
to tobacco - for 25 to 30 grs

epicotiana Tobacco -

The equill are of 27 species and
often mistaken. *cubeba* at the pima
you know may be mistaken for
~~it~~ *the sear pima* etc. Mistaken
often used as an Epicotianal and have
been 2 or 3 grs a dose for the therefore
ineffet.

of the several Poisons
of a galenical one of the most active
reactions, those in common use are
Sulphur not much used on account
of its small useful properties in that respect
the preparation of a tincture are
of common use - The Daniels powder
very useful - there are nine private
Decades of Sulphur - the Sulphur
ate & Tartaric & Sulphur
Sulphur Emetick or Antimonial
preparation, some prefer the Sulphur
of Sulphur - a Sulphuric wine Done
from 1 to 3 yrs &c
of Copper &c

Sulphate of Zinc &c
White vitriol in combination Rock
Flum by a strong sulphuric acid
& quicklime &c
Sulphurate of Zinc of a dark
grey colour and is rarely empl
yed as an active borming stone
Corrosive Sulphuric to dangerous for
children, Paroxysmally corrosive to taste
melancholy & peccat &c

Cathartics those that increase the number of stool, the substance contained in the stomach the cathartics are those left after absorption & the泻ative and purgatives which are of different doses, &c.

Great & small have sometimes purged & purged under circumstance sometimes through nausea and vomit & afterwards purging, &c.
Under other circumstances the bowels are frequently used as a purgative & in disorders of the bowels there are often relieved by a laxative
Substances in the stomach are discharged about the third day if health is often prodded when a person habilitates himself no more than once in 3. 4 or 5 days

External heat often produces constipation & may do usually occur in stormy weather. Cold may have act as a purgative
A gentle salivation often cures habitual constipation, especially in the case of an affected bile duct
Purgatives principally in fortifications for Typhus in the Conqueror but not to be used in all cases excepting of

4 Nov - in Encyphitis we are bound
to purgative, bleeding, blistering, cold &
various &c some have recommended
Inoculation as the ears are sometimes
very much affected in this case off
a blister behind the ear -

Purging either purging very steeply
or out & urine purging well to keep off
any attack

Very unwell & small affections of the
lungs - In Epilepsy - In Hy-
drocephalus to be treated by this reme-
dy especially after the inocula-

tion or cathartics
but we also use Dr. Cope's
potion of lead with & mercury - &
of the inoculation or made by Dr. Cope
which has been accomplished by which epis-
trophe - the breast remained not
less than amazing and Cough follow.

Dr. Cope -
Purgative is useful in Hydrocephalus
Dr. Meunier said that Thartera - a gout
which is very probable
Also of Letanus said to be useful &
but we believe the best place to practice
cups Tobaccos is very good - It is believed
by Dr. Cope that all diseases can be
cured And asthma and if we can sur-
tain the patient until this Octo-

must be made in early life. We
also in drops of purgative are very
useful and best such as evacuates sulphur
or sometimes Mercury, requires to be
taken sickly. also regimen also called
Chlorosis attention to diet &c
It has also been recommended as a hemor-
rhage of blood from different parts of the
body being stopped —
likewise in Children - in fever where
they have been ill fed & —
All together we consider purgative of
the greater use & by degrees
after followed by rest attending to the call
of nature — Constipation is believed
to be the cause of most Chronic Disease
and the cure you are in the
Sulphate of Potash is 2 or 3 gr & 20
times a week some use Mineral
water & water whose efficacy we can say
little, but we believe much is due to their
efficacy in this — the spring is the Chro-
nic, & it diet & — and much may
be derived in this — Complaints of
Cathartes milder and River or
Purgative first of the Vegetable is
Marrow, is of a tree of the species.
it as the best flat Marrow other
Marrow is soft — is one of the
best

Mauri - a species of Monnier
annual in some parts to be seen
Mauria One of the safest and
safe but ineffectually combined with
Clement Oil or Mauria 1 or 2 oz
Sometimes combined with Rhubarb
Extract from the bark of Beeswax Nut
with Calomel by the way of the bark of
the root from 10 to 15 grs of the
mucilage of it is increased by all
equal small portion of Calomel &c
May Apple vegetable Salat in its
spices done over 10 to 14 off the
root & Cleavers or Castor Oil
of Safest and mildest Preparation.
Find a fit Remedy for Calomel Army
thus when you add a few drops in a
dose of about one Ounce for the adults
it will prove not too much for the
infant bath - Cleavers Salat
2 lbs Root

3 lbs Green hairy Cogon mixed with
Water, with Sandalwood it is a very
good expectorant
Melted butter will be a good lax
when combined generally with
Aconite
Castor Oil is a safe and good pur
gative similar to Castor Oil
from a tree the size of a

tree olive Cathartes in a tree
bushes about half a dozen branches &
but no excavations or洞 one does
not often cultivate it the Cleveland
say in the City have for
Yeracogue the dose of the root
or taken in proportion with Cato
Oil & Aniseed

Senna leaf of a shrub about
3 feet or high it has 3 different kinds
but much of the same quality but
those of a more appearance
not too large leaf when dry
is cold & resinous looking it said
by some country it purgative when
you are ~~poor~~ ^{poor} in frog ³ to 3 drs
In infusion give 3 drs & put
ing water to prevent griping give
it with marmal sugar &c but
liquice about half inch in long
and it in the tea to prevent griping
and the very best of all purgatives
we now know off & give the
leaves from $\frac{1}{2}$ 3 or 13 in front of bed
take none of it and the ⁱⁿ bowy
if necessary or in moderate quantities
sometimes used in hernia

Similar to this is the Ca sicc Mariana
from our country age would be a substitute
Rhubarb - we now go to 45
with 5 or 10 gr of Calomel powder,
pepper caps considerate of green
use with some other - also a
Dianthus - Butcher said better
to act upon Anadura -
In Govt said to be very good -
Pulicot a remedy for children

2 D Rhubarb.

2 D Magnesia or modified as my
13 white sugar be ready, then
down water for children

Stewed Rhubarb of the same very
much as the above & -
The above very good for scurvy &
 Rheumatism in Children -

Pooping is too much to be avoided.
Charcoal and even the Emerson
is known to be a very good medicine
for Children. Butcher
is done - in 10 days etc. 2 lbs
each which will however
try it
One of the most useful medicine
we know here is -

Calab & Cremata also used
little meat is a common preser-
vative - also with Red wine
Lcspice

Aloes large quantities are brought
from the Cape of Good Hope
Aloes is of a bitter and aromatic taste
and smells very bad. I have seen from 2 grs
to 30 grs. But a great many dif-
ferent forms in the persons and
Aloe, shape, though with an ex-
ception of the small interlines,
it seems to act as a stimulant to
the bowels. The best laxative
for females is Aloes and Adafelida
perhaps better with Croton extract
according to Cucumstan-
ces. Aloes take about 12 or 13
before it will act & in
it may be a good corrective to pre-
vent habitual Constipation.

Catappa if it is obtained from a tree
in S. Amer brought to us in large rolls
it is apt to rot & it is doses of 6 to 8 ozs
it must be given in small and several
doses. Useful in taking worms out
and especially in Draying the skin. Yet
never use so much employed
now as formerly

Collector or Bitter Apple

A Plant of Turkey the root is the only part used as Medicine or part of the plant one of the Oldest Cathartics of the Suspension in doses of 10 or 12 grs it produces gripes &c has been used especially to stop night sweats it has been produced evacuations in Children by applying it to the Navel & so must be carefully employed

Platerium or Sinking Cucumber

A plant creeping on the ground like the Cucumber first is the only part medicinally employed one the most powerful Cathartic we have gone in doses of 12 or 1 gr given every hour until it acts, but it not to be employed when there can be used

The eleocharis Tigris, the root of which is the part employed in Medicine other plants have been mistaken for this plant, it was formerly much esteemed root rough knotted and black 100 or more by keeping dose from 10 to 15 grs but depending much whether very dry or not

Calcareous
Sulphur

Some are common at Rhiemaville
about a mile from Molasses
the rolled limestone taken in the
hand is said to have a good effect
in Cramp.

Magnesia or Carbonate of Magnesia
and Calcined Magnesia they
are the same in appearance

Carbonate the most powerful bath
salines or Chathartes. It is made
with lime water & this water
is a corrector of Acidity, Calcined
water frequently employed in
Neutral Salts a Compunction of
different alkalies, and Saline
Chathartic

Sulphate of Potash


Sulphate of Magnesia or Epsom
Salts will often ease an inflamed
stomach when no other drug
Glauber Salt or Sulphate of Soda
one or two drachms as above


given with vinegar water &c
often given in febrile diseases in
divided doses of about 8 parts


Froebel's Salts


Cream Tartar in elbow molars
and often given with


Much the same as Tartate Potash















































MSS 2/0213-01

Acc. 1991-086-01